

AMENDMENTS TO THE CLAIMS

Please amend the claims as follows.

1. (Currently Amended) A method of transmission, from a transmission center to digital television decoders, of an application made up of a set of files containing data together constituting interactive pages, ~~each interactive page having a displayable content comprising a main file and included components, wherein the included components are executed using inclusion links to obtain an entire interactive page, wherein the set of files comprises navigation links referencing a main file of an interactive page that is of higher or lower depth,~~ a home page of the application having a 0 depth level, a level 1 page being an interactive page that can be called up through a navigation link from the home page~~this page of depth 0~~, and more generally a page of depth n being a page that can be called up with a minimum of n navigation links from the home page of depth 0, the method comprising:

receiving the set of files necessary for the construction of a plurality of interactive pages,
each interactive page comprising ~~[[the]]~~ a main file and ~~[[the]]~~ included components,
wherein the set of files form an application or a part of the application corresponding
to pages having depth levels lower than a predetermined level;

analyzing the semantic and syntactic content of ~~[[the]]~~ a first main file of the application to
identify ~~[[the]]~~ inclusion links and the navigation links, wherein inclusion links point
to included components necessary to form a first interactive page and facilitate
display and execution of the included components, and wherein navigation links
reference at least a second main file of a second interactive page that is of higher or
lower depth than the first interactive page;

assigning a depth level to ~~[[each]]~~ the first and second interactive page of the application,
wherein ~~[[an]]~~ included components and the main file associated with ~~[[an]]~~ each
interactive page comprises the same depth level;

ranking each of the first and second interactive pages by depth level, wherein the home page
of the application has a depth level of 0 and an interactive page comprising a depth

level of n is a page referenced using a minimum of n navigation links from the home page; and

constructing transmission modules, wherein the files necessary for the construction of a complete interactive page and corresponding included components are included in one or more transmission modules.

2. (Previously Presented) The method according to claim 1, further comprising:
defining a transmission profile comprising transmission order instructions providing that each interactive page and corresponding included components are assigned and transmitted with a priority level,
transmitting the modules with a frequency which is dependent on the order of priorities defined in the transmission profile.
3. (Previously Presented) The method according to claim 2, further comprising
allocating a level of dynamism to the transmission modules, wherein the transmission modules comprising interactive pages that are modified more often than others are allocated a greater level of dynamism than the transmission modules comprising interactive pages that are modified less often.
4. (Previously Presented) The method according to claim 2, wherein the priority level is a decreasing function of the depth of the interactive page.
5. (Original) The method according to claim 3, wherein the priority level is an increasing function of the dynamism.
6. (Canceled)
7. (Previously Presented) The method according to claim 1, further comprising:
selectively modifying URL access links for navigation or for inclusion in at least one interactive page to render the entire application or at least a first part of the application accessible in a transmission mode, and to render a second part of the application accessible through a return path.

8. (Previously Presented) The method according to claim 1, furthermore comprising a step:
quantitatively analyzing the information contained in each file, and as a function of the results of this analysis, deleting the interactive pages assigned a depth greater than or equal to 1, commencing with the deletion of the pages of greatest depth, until the remaining amount of data to be transmitted is equal to or less than a predefined quantitative limit.
9. (Previously Presented) The method according to claim 1, further comprising:
modifying the application to include software instructions for managing a cache memory of a digital decoder configured to receive the application, wherein the software instructions are configured to:
identify the navigation links between a current interactive page displayed and interactive pages referenced by the navigation links of the current interactive page, and
load, into the cache memory, said interactive pages referenced by the current interactive page and corresponding included components.
10. (Previously Presented) The method according to claim 7, further comprising:
modifying the application to include software instructions configured to provide when accessing the second part of the application through the return path, an automatic return to the transmission mode when a request for access to an interactive page which forms part of the transmitted pages is received.